

## NSLS OHSAS Facility Risk Assessment

The only official copy of this file is the one on-line in the NSLS ESH website. Before using a printed copy, verify that it is the most current version by checking the document issue date on the NSLS ESH website.

<b>Name(s) of Risk Team Members:</b> <b>NSLS OHSAS Committee</b>		<b>Point Value → Parameter ↓</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>
<b>Area/Facility Description Title:</b> <b>General Radiation Issues</b>  <b>Area/Facility # (if applicable):</b> <b>LS-FRA-0008</b>		<b>Occupancy or Use</b>	≤once/year	≤once/month	≤once/week	≤once/shift	>once/shift
<b>Area/Facility Description:</b> <b>NSLS Facility ionizing and non-ionizing radiation hazards and controls.</b>		<b>Severity</b>	First Aid Only/ Rad stop work, RAR	Medical Treatment/ ORPS threshold exceeded	Lost Time/ NTS report filed with DOE	Partial Disability/ DOE enforcement action levied against BNL	Death or Permanent Disability/ DOE mandated rad ops stand down
<b>Approved by:</b> <b>W. R. Casey</b> <b>Date:</b> <b>10/27/05</b> <b>Rev.#:</b> <b>1</b> <a href="#">Revision Log</a>		<b>Likelihood</b>	Extremely Unlikely <<1x/20yrs	Unlikely 1x/10-20yrs	Possible >1x/10-20yrs	Probable 1x/yr	Multiple >1x/yr
<b>Reason for Revision (if applicable):</b>					<b>Comments:</b>		

Physical Item or Activity	Hazard(s)	Before Controls				Initial Controls	After Initial Controls				Control(s) Added to Reduce Risk	After Additional Controls				% Risk Reduction
		Occupancy A	Severity B	Likelihood C	Risk* AxBxC		Occupancy A	Severity B	Likelihood C	Risk* AxBxC		Occupancy A	Severity B	Likelihood C	Risk* AxBxC	
Being in a controlled area	Radiation exposure	5	1	3	15	Access control, training, postings, procedures, TLD as needed	5	1	2	10						
Being in close proximity to accelerator enclosures	Elevated radiation levels caused by mis-steering or mis-tuning of beam	3	3	3	27	Access control, SAD, ASE, operator training, procedures, radiation monitoring, equipment design, configuration control	3	2	2	12						

# NSLS OHSAS Facility Risk Assessment

The only official copy of this file is the one on-line in the NSLS ESH website. Before using a printed copy, verify that it is the most current version by checking the document issue date on the NSLS ESH website.

		Before Controls					After Initial Controls					After Additional Controls				
Physical Item or Activity	Hazard(s)	Occupancy A	Severity B	Likelihood C	Risk* AxBxC	Initial Controls	Occupancy A	Severity B	Likelihood C	Risk* AxBxC	Control(s) Added to Reduce Risk	Occupancy A	Severity B	Likelihood C	Risk* AxBxC	% Risk Reduction
Being in close proximity to sealed radiation source	Radiation exposure	2	1	3	6	Postings, custodian program, SBMS subject area, proper labeling & storage	2	1	2	4						
Being in close proximity to unsealed radiation source, dispersibles, Accountable Nuclear Materials etc.	Radiation exposure	1	2	2	4	Postings, training, procedures, RWPs, proper labeling & storage	1	2	1	2						
Being in close proximity to activated materials, i.e. accelerator metal parts activated by the electron beam	Radiation exposure	1	2	2	4	Access control, training, dosimetry as required, activation checks, RWP as needed, work planning and permits, proper labeling & posting if stored	1	2	1	2						
Being in close proximity to magnetic fields	Medical implants exposed to fields >5 gauss: - pacemaker - defibrillator - insulin pump - cochlear implant other	2	5	2	20	Access control, posting/barriers, IH surveys, Static Magnetic Fields SBMS Subject Area, procedures, training, work area conditions, field maps, "tell tails",	2	5	1	10						

## NSLS OHSAS Facility Risk Assessment

The only official copy of this file is the one on-line in the NSLS ESH website. Before using a printed copy, verify that it is the most current version by checking the document issue date on the NSLS ESH website.

		Before Controls					After Initial Controls					After Additional Controls				
Physical Item or Activity	Hazard(s)	Occupancy A	Severity B	Likelihood C	Risk* AxBxC	Initial Controls	Occupancy A	Severity B	Likelihood C	Risk* AxBxC	Control(s) Added to Reduce Risk	Occupancy A	Severity B	Likelihood C	Risk* AxBxC	% Risk Reduction
Further Description of Controls Added to Reduce Risk:																
*Risk:	0 to 20 Negligible	21 to 40 Acceptable				41 to 60 Moderate				61 to 80 Substantial				81 or greater Intolerable		